# Audacity

SLQ Wiki Fabrication Lab 2025/07/06 22:01

# Audacity

Audacity is free and open source audio editing software that is widely used around the world for basic audio editing. It is cross platform, available for Mac, Windows and Linux and other operating systems.

Because it is open source, there are lots of detailed guides and user support documentation online, we'll cover most of the basics in this session but don't be afraid to delve into more learning after this session.

Audacity is often used for Podcast and spoken audio editing, particularly because it's free and accessible, however it is also very capable of music audio editing.

In today's induction session we'll learn the basics including;

- The UI (user interface)
- Recording into Audacity
- Levels
- Editing basics, including editing a piece of vocal audio
- Creating multiple tracks (adding a soundbed)
- Covering some of the effects options

Let's get started!

All of the iMacs in the Digital Media Lab and also the HP laptops available for use in the Fabrication Lab have Audacity installed. Let's go to our application folder or search function to find and open the program.

The logo looks like this;



When Audacity opens, the screen you should see will look like this;



2025/07/06 22:01

Audacity

d Audacity	File	Edit	View	Transpor	t Trac∔	os G	enerate	Effect	t Ana	lyze	Wind		felp			- N	1 * 1	ۍ 🕩	Ş	100% 📓	sa⊱ w	led 8:55	ipm (	् ≡
• • •				-							Audao				 	_	-				_			
	H	н	۲	P ++			dir die die dir die die								X			₽   • p*	9 L	٥		P 2.	<i>P</i> .,	
1- 1- Q																								
Core Audio 😳	P Du	It-in Mi	crophon	e 🔁 2	(Stereo)	🖸	4) Bu	ilt-in Ou	rtput		0													
▼-1.0	d o		1.D	2.0		3.0		4.0		5.0		6.0		7.0	8.0		9.0		10.0		11.0		12.0	13.0
· · · ·	r	<u> </u>	<u> </u>					-	-	<u> </u>	<u> </u>	-		-	<u> </u>	<u> </u>	-			-			<u> </u>	_
Project Rate (Hz):	Shap To		Selectio				d 🕘 Ler			udio Po														
44100 🔛	01	0	00 h (	)0 m 00.	000 -	00 h	00 m 0	0.000	s 0	0 h 0	0 m 00	0.000	5 *											
Stopped.																								
Contraction of the local division of the loc																						_		


## Menus

- Audacity (Mac Only) About Audacity, Preferences, System Services, Show and Hide Audacity and other applications, and Quit.
- File Working with Audacity project files and other audio files.
- Edit Altering the audio in your project.
- Select Making selections of tracks, or within tracks, in your project.
- **View** Change Zoom levels. Show clipping, Undo History, Mixer Board, Toolbars and Karaoke window.
- Transport Control recording and playback.
- Tracks Adding, aligning and labeling audio tracks.
- Generate Creating new audio in your project. Audio generating plug-ins will also appear here.
- **Effect** Processing the audio in your project. External Effects plug-ins will also appear in this menu.
- **Analyze** Analyzing the audio in your project. External plug-ins that act on audio but do not produce audio output will appear here, as well as tools like Silence Finder and spectrograms.
- Window (Mac Only) Minimize and zoom windows, choose the project window to bring to the front.
- Tools Additional menus for Macros and other plug ins.
- **Extra** The Extra menu provides access to Toolbar operations and to extra commands for track focus and movement of the editing or playback cursor that are not available in the default Audacity menus. These will be of most interest to visually-impaired users or those who have difficulty using the mouse.

Let's look at the different sections of the interface and get familiar



## **Audio Control Buttons**



- Start recording by clicking on the red Record button
- Pause the recording by pressing the blue Pause button. You can do this at any time while recording or playing back a recording. Note: when the Pause button is selected most commands in Audacity are unavailable.
- Stop recording by clicking on the yellow Stop button. You can do this at any time while recording or playing back a recording.
- Go to the start of the recording by clicking the Skip to Start button on the far left.
- Listen to the recording by clicking the green Play button.

## **Importing Audio**

Open an audio file by going to the File menu > Open or choose Project menu > Import Audio

When importing or opening from an audio file directly, the program may ask you if you want to make a copy of the audio file, this is to preserve the original in case you make a lot of edits and changes, it is good practice to keep a clean original audio track and make the copy.

Note: Some versions of Audacity may not open WMA files. If you have WMA file issues, you can convert them first (convert to the WAV format, for example), you can do this in a variety of programs, like iTunes or Windows Media Player.

## **Recording Audio**

You can record directly into Audacity and as with all audio recording software, you will need to choose your input (and output) depending on what set up you are using.

Connect a microphone depending on your set up; plug directly into a mic in port, or via the Line In with USB mic or use an audio adapter, or for best quality use a audio interface with good quality mic. You can use the built-in mic but the quality won't be great.

Choose via the drop down menu options in the Input & Output menu (your output might be headphones or connected speakers if not the in-built output)



SLQ Wiki					5/10			Audacity
Core Audio	÷ 🌷	Built-in Mic	rophone		✓ 1 (Mono) Recording Channel	-in Output	\$	
▼-1.0	do	1.0	2.0	3.0	2 (Stereo) Recording Channels	7.0	8.0	

Also choose from the same menu whether you want to do a Mono or Stereo recording. So what's the difference between mono and stereo? Well a mono recording is one where the sound in the left and right channels is the same, a stereo recording has different sounds in each channel. So unless you are getting creative with your recording, best to stick with mono. Here's a link to some good info on this side of things

## Levels and Monitoring

				Click to Start Monitoring													
Ŷ	ī	 	- •D	·	K	Û	40F (4F)	2	Ð	Q.	29	R	Þ	ī	•	 •	


Audacity always launches with input monitoring off and so the Recording Meter Toolbar displays "Click to Start Monitoring". Click in the recording meter to start monitoring, or when you press the The Record button Record button the meter will activate. The Recording Meter Toolbar again displays "Click to Start Monitoring" whenever you stop a recording or start playback.

The Playback Meter will activate when you start playback, or if you start recording with software playthrough turned on in the transport menu.

The orange color displayed here in the left channel warns that the signal is too "hot" or becoming too "hot" (approaching 0 dB). The red bar at the right of both channels indicates that clipping is occurring.

## Editing

**Tools** We'll run through each of these quickly, the main one you will use is the Selection tool and the one that looks like a star is the Multi Tool, which will switch between each of the other tools depending on where you move your cursor.



#### **Selection Tool**



The Selection tool is pretty self explanatory, and will probably be the tool you use the most. Click and drag over a piece of audio to select, or click in one spot and then you will see a pointed hand that allows you to expand the selection.

0.0	× 10	121	A. 5. 44 Au	A ciene	Broke_For_Fr Nontoing -15	-iz is	it_Owl a∕ a0 ≿	ط ط باد	in in	de de	12 20 6	
	H H O	Q ++ *	1	- • • •	• •	the state of the local state of the state of			0.4			
ore Audio	: & Built-in	Microphone	÷] 1.040	na) Recordin	: 🐵 Built-in G	~ ~ <u>~ ~ ~ ~ </u>	4					
75	0 15	30	45	1:00	1:15	1:30	1:45	2:00	2:15	2:30	2:45	3:00
1.0 10 501 0.5 0.0			de la contener					A.A.A.A	A.U.			
0.5- titeet		No No No		M Yest	hihi	<b>M</b>		<b>YTY</b>	YTT	in h	WW	
1.0 0.5- 0.0-			la l'agitte					da da	ALLU,	UNIT		
-0.5-	1000	NUT IN THE	<b>Non-Alexan</b>			<b>MAX</b>			YM	<b>him</b>	<b>WWW</b>	MAN "
	ap-Ta Audio Pe	tition	Start and End of Sale	ster	:							
int fate (66) - Se			00 h 00 m 25.05									
4100 -	Click and drag to mov	e right selection bour	sdary.									

#### **Envelope Tool**


In Audacity, every track has an "amplitude envelope" which is controlled with the Envelope Tool on the Tools Toolbar.

An amplitude envelope just means that you can control a track's volume changes smoothly over time. People in the recording industry sometimes call this technique volume automation, because in a recording studio you would typically change the volume of tracks by moving volume sliders up and down, and fancy mixing boards had the ability to remember your movements and automate them from then on. Manipulating a track's amplitude envelope in Audacity is similar, except that Envelope Tool is used to create and manipulate "control points" at various points in the track. The control points then determine its volume changes over time.

0.0					<ol> <li>A. A.</li> </ol>	1 I.			light_Owl	A. 6.	L L L	- In	2. L.	1	
1 1-		HO			n -54 -48		Sitari Monitoling +		401	-94 -49	208	-24 -18	-12 -5	f	
ore Audio		& Bulk-I		* * *	* 1 (Marca	i 🗐 🧿 📖	: I I Built-ir	*00			2,9,64				
5		15		30	45	1:00	1:15	1:30	1:45	2:00	2:15	2:30	2:45	3:00	3
Indea For Free	1.0														-
e Solo	0.5			10.1 10.41	All man	-									
- <b></b> i			فانغم	a data di	der nalitiente	a Mari	和和人的认用		<b>机机机和</b> 64	(PARKA)	ALAUUU.		****	MARINER .	
	0.0-		ALC: NO	and the second	a station landa)	n filiant	(delated all a little below here here here here here here here her	i fan fi fan fe	wina interactio	o no a di	an de la compañía de	<b>The set</b>	ala de la sec	AND DO DO	~
noat	45		-	11 1000	Life dama.	- LA DIG	no qui p			10, 100,000,040			1.1.2.5.1.1.1		_
	-1.0	_		_	_										-
	0.5				Test and a	June									
			فالغمه	a dina dina di	An adding	a ia wii		ha Ma M			1.11.11	<b>1</b> 111 11 11 11	ar lau	ALAN N IA	
	0.0-		Contraction of the	State of Street and	Constant (Constant)	a misu	(department)	(Contractor)	WAL SHALLIN	1000	developine Mil	Timbush	No. No. of	Manna -	**
			Mind at the	bed fillen at the											
	-0.5		ALC: NO	A could	Alfondation	ALMIN	n BU, strait, AN	dat ju det likulta	EN DATE AN			and the second second	Construction of		_
	-0.5-		of the second second	A COMP	Alfonitation		nto, annair, m	an ja pielinaua	- PARANA SAN						
				A COMP	Alfan Mahimu	( ALMINI									
				A. MAR	Alfonisation	<u>T</u> ermin									
				a . all		- Januar									
				21 - 1917 -		<u> <u>C</u>erena</u>									
						<b>Contract</b>									
						<b>Contract</b>									
					a a la analysis and a second										
					a se										
					a produktion and a second s										
•	41.0			1. Mile.	a kilon vistoriun										
ed face (Piz	-1.0_		Pesition		arl and End of Below										
eti Rate (M2)	Sage Te	÷ 00 h	00 m 24.	134 s+ 00	eri and End of Belec		0 on 24,334 st								
	Sage Te	÷ 00 h	00 m 24.				0 m 24,234 st								

#### **Draw Tool**

Draw Tool enables you to redraw the waveform; it can be used to make volume changes to individual samples or effect repairs to clicks/noise. You need to zoom right in on the waveform to use this tool.



#### **Magnify Tool**


Another pretty self explanatory tool, used to zoom in or press shift click to zoom out.



24.115	24.120	24.125	24,130	24.135	24.140	24.145	24.150	24.155	24,190
Indea For Free 1.0									
At 5010 0.5-				Λ.					
· · · · · · · · · · · · · · · · · · ·				/1					
441107z -0.5-									
-1.0									
1.0									
0.5-									
0.0									
-0.5-									
1.0									
ect Rate (N2) Snap-To 100 → 04		Start and En	nd of Belection						

#### **Time Shift Tool**

To shift multiple tracks to left or right, there must be a selection region in all the tracks you want to time shift, and you must drag from inside the selection region in one of those tracks.



#### Multi-Tool


Multi-Tool mode on Tools Toolbar lets you access all of the five separate tools on this toolbar at once, depending on the location of the mouse and the modifier keys you hold down.



# Adding Tracks

II 🕨		*	Add New F Mix F Resample Remove Tracks	Stereo Track Label Track Time Track suit-in Curput	**************************************		- ð - f   - *
Billed For Pre-	0	15	Mute/Unmute	45		1:15	1:30
Arte Solo	0.5-		Align Tracks > Sort Tracks >	assia Albrachated	and the streat the	NAMES AND ADDRESS OF TAXABLE PARTY.	ANNA ANA ANA ANA ANA ANA ANA ANA
eo, 44180Mz R Roat	0.0-		Sync-Lock Tracks (on/off)	CONTRACT CONTRACT	andpastant	MINE MODEL MINOR	NORMAT ADDRESS
t float	-1.0						
	1.0						
	0.5-		the stand is a standard different as	dillor traibiliti	متساطية بالطبيات والطعيم		A MARKAGEN BANKAN IN
	0.0-	**************************************			COMPACTOR OF THE ACT	KANG BURNEN DALAMAN	NAME OF A DESCRIPTION OF A
	-0.5-		and the second sec	a section of the sect	an colligate south the	BINNER CONTRACTOR AND	LAND MERLANCE AND
•	-1.0_					_	
spect Rate D	6) Seap-Ta		and End of Selection 00 m 59-419 st 00 h 00 m 5	; 9.601 s*			
njeci Kale (h	(2) Snap-Ta			; 9,801 5*			

## Effects





# Tidying up speech

If you have a piece of plain talking like an interview, voice over or speech you can improve its quality through the following effects:

First normalise your track -this adjusts the volume so the peaks are set to a certain loudness, so you don't blow out people's speakers or the volume is too quiet even when your listeners have their volume cranked all the way up.

Then use the noise reduction function by first selecting an area of your track that should be silent and go Effect>Noise Reduction> get noise profile. The window will close. Then select all the track and click Effect>Noise Reduction>OK and wait for it to complete.

You can also set a noise gate. This is more aggressive than the noise reduction and will basically lower the volume (or completely remove it) on sounds below a certain level. Fiddle with the gate threshold to set the maximum volume of the background noise. The level reduction is how much quieter it will make the background noise (-100 for completely silent). The Decay sets how long it waits after the voice finishes to turn off the background noise, increase this value if your voice sounds a bit 'choppy'.

Next apply a limiter, changing the "limit to" setting until you have reduced any large spikes in your audio (laughing, claps etc)

Then normalise it again as it will have changed the max volume.

Then it's a good idea to apply some compression. This is sort of a matter of taste but it tends to make voices sound more 'rounded' and 'warm' and 'radio-presenter-ish'. Fiddle with the compression until you like the sound.

Then normalise the audio again as this will have altered the volume again.

You can now export and use your audio.

## **Practical Exercise**

Download the vocal audio track -

https://sampleswap.org/samples-ghost/VOCALS%20and%20SPOKEN%20WORD/MALE%20MISC%20and%20SPOKEN%20WORD/4249%5Bkb%5Dbrian-eno-lets-imagine-the-future.aif.mp3

Download the music audio track http://freemusicarchive.org/music/Art\_of\_Flying/fingerface/Art\_Of\_Flying\_-\_song\_for\_brian\_eno

### Resources

https://manual.audacityteam.org/index.html



2025/07/06 22:01

Audacity